# <u>REVIEW S</u>

failure to show counsellors how to assess or help when there is a suicidal risk. This is an area of great concern and importance to counsellors. They are given little guidance on the diagnosis of depression and, although we are told that it is important to know when to refer people to others for help, no information is given about the special contribution that psychiatrists, psychologists or social workers can give.

The final section deals with the counsellor's own need for support and is, perhaps, the best section. I also like the case examples and the exercises that are a part of the package. These reflect the makers' experience of running experiential workshops and their preference for 'hands on' training. While I would readily agree that these are important components of any training in bereavement counselling and not well covered in books, they are no alternative to well-organised background information and good useful theory.

> Colin Murray Parkes Consultant Psychiatrist

## ABSTRACTS

Grief Among Gay Men Associated with Multiple Losses from AIDS

Cherney PM, Verhey MP. Death Studies 1996; 20(6): 115-32.

INDEX TO BEREAVEMENT CARE Volume 15 Spring 1996-Winter 1996 Key: A = article No.1 = Spring issue

Ab= abstract No.2 = Summer issue O = obituary No.3 = Winter issue R = review

After a death in sheltered housing (A); No 3: 30-31

An Ache in their Hearts (resource pack) (R); No 1: 11 As Someone Dies (R) (R); No 3: 35

As Someone Dies (R) (R); No 3: 35 At a Loss: bereavement care when a baby dies (R): No 1: 11

Alcohol and bereavement (A); No 1: 5-7

Bereaved Children and Teens (R); No 3: 34 Bereavement and Adaptation: a comparative study of the aftermath of death (R); No 1: 11-12

Bereavement and Support (R); No 2: 23 Bereavement follow-up: what do palliative support teams actually do? (Ab); No 3: 35

Bereavement: Your Questions Answered (R): No 3: 35

Brown T (A); No 2: 17-19 Bryant-Mole K (R); No 3: 34

Cathcart F (A); No 2: 20-22 Children's participation in rituals (A); No 1: 2-4 Clarke J: No 3: 30-31

Cleiren MPHD (R); No 1: 11-12

Cleverly D (R); No 2: 23

Connolly Y (resource pack) (R); No 1: 11 Death and people with learning

difficulties: interventions to support clients and carers (part 1) (A); No 1: 7-9 Death and people with learning

difficulties: interventions to support clients and carers (part 2) (A); No 2: 20-22 Death education: a model of student-

participatory learning (Ab); No 2: 23 Death of an institutionalised parent: predictors of bereavement (Ab); No 1: 12 Death: What's Happening? (R); No 3: 34 Dent A (A); No 1: 11 Few quantitative studies have examined the phenomena of multiple loss and cumulative grief experienced by gay men as a result of the AIDS epidemic. In this study, 93 gay men living in San Francisco, whose own HIV status was negative or unknown, and who had lost to AIDS at least three friends, lovers or relatives, completed Sanders' Grief Experience Inventory in the summer of 1993. It was discovered that a committed relationship, employment, or the fact of caring for someone with AIDS, was a positive factor in helping the bereaved to work through their grief. But no significant relationship was found between the number of individual losses reported and the intensity of grief experienced. This article, though somewhat repetitive, is interesting, not least because the results challenge some previously accepted on the subject.

#### Gender Differences in Parental Grief

Schwab R. Death Studies 1996; 20(2): 103-13.

Gender differences in the grief of parents who had lost their child were examined using the Grief Experience Inventory (GEI). The participants were 35 bereaved couples ranging in age from 27 to 73. Results showed that the mothers' scores were significantly higher than those of the

Deri-Bowen A (video) (R); No 1: 11 Developing strategies to assist sudden-death families (Ab); No 1: 12 The disenfranchised grief of teachers (Ab);

No 2: 23-24 Dyregrov A (A); No 1: 2-5

Evaluation of bereavement anniversary cards (Ab); No 1: 12

Franchino L (R); No 2: 23

Gender differences in parental grief (Ab); No 3: 35

Gershon M (R); No 3: 34 Gleitzman M (R); No 1: 11

Grief among gay men associated with multiple losses from AIDS (Ab); No 3: 36 Grollman RE (R); No 3: 34

Growing around grief – another way of looking at grief and recovery (A); No 1: 10

Hampshire, South-East, Health Authority (video) (R); No 3: 35 Handbook of Bereavement (R); No 3: 34

Hansson (R); No 3: 34

- HIV infection: systemic family therapy with the bereaved (A); No 2: 14-16 Hughes M (R); No 2; 23
- 'I Still Can't Believe It' (video) (R); No 2: 23 I Wish I Could Have Told You So (video) (R); No 3: 35

An integrative model of grief (Ab); No 1: 12 Impact of family deaths on older people (A); No 3: 26-27

Johnson EA (R); No 3: 35

Living after a Death (R); No 3: 35 Living with Grief and Mourning (R); No 3: 35

Markham U (R); No 3: 35 Meaning of death for children and adolescents (A); No 3: 32-33 Miller R (A); No 3: 14-16 Moorey J (R); No 3: 25 Moss M (A); No 3: 26-27 Moss S (A); No 3: 26-27 The Mountains of Tibet (R); No 3: 34 fathers on the following scales: atypical responses, despair, anger/ hostility, guilt, loss of control, rumination, depersonalisation, somatisation, loss of vigour, physical symptoms, and optimism/despair. No significant differences were found in the scales of denial, social desirability, social isolation, death anxiety, and loss of appetite. The potential usefulness of the GEI in helping the bereaved is discussed.

#### Bereavement Follow-up: What do Palliative Support Teams Actually Do?

Bromberg MH, Higginson I. Journal of Palliative Care; 12(1): 12-17.

Care for the family and bereavement follow-up are considered part of good palliative practice. This study examines the bereavement follow-up given to the families and carers of 320 patients (319 suffering from cancer and one from AIDS) by five multiprofessional teams in south-east England. The teams consisted of any of the following: nurses, doctors, social workers, volunteers, and in one case a chaplain. Analysis of the quality and degree of care given showed that it differed widely between the five teams, and the authors of this report conclude that there is a need for training, for clear protocols, and for further research into what the families and carers themselves need. Sheila Hodges and John Bush

Snella Hooges and John Bus

Murray J (resource pack) (R); No 1: 11

Parent-child communication in bereaved Israeli families (Ab); No 2: 24 Parkinson F (R); No 3: 35 Pitman E (A); No 2: 17-19 Post-Trauma Stress (R); No 3: 35 Portsmouth University (video) (R); No 3: 35 Post-traumatic stress disorder and drama therapy (R); No 1: 11 Predictors of husbands' and wives' grief reactions following infant death: the role of marital intimacy (Ab); No 1: 24

Pullen S (S); No 2: 17-19 Recognising the need for counselling in a

residential unit (A); No 3: 28-29 Remembrance (R); No 2: 23 Releasing the past to help the present (A); No 3: 31 Ross E (A); No 1: 5-7

Scrutton S (A); No 3: 28-29 Sherrin N (ed) (R); No 2: 23 Stewart A (R); No 1: 11 Stroebe MS (R); No 3: 34 Stroebe W (R); No 3: 34 Suicide: survivors (R); No 2: 23

Tamm M (A); No 3: 32-33 Thomas J (video) (R); No 1: 11 Tonkin L (A); No 1: 10 Training in work with traumatised

children: a placement at the Traumatic Stress Clinic, London, UK (A) No 2: 17-19 Two Weeks with the the Queen (R); No 1: 11

Vance J (resource pack) (R); No 1: 11

Walsh MP (R); No 3: 35 Weitz P (R); No 2: 23 What can you expect, my dear, at my age? (A); No 3:28-29 Williams B (video) (R); No 1: 23 Winston's Wish (A); No 3: 33-34 Winn L (R); No 2: 11 Words Can't Describe How You Feel (video) (R); No 1: 11 Wrobleski A (R); No 2: 23

### EDITORS

Colin Murray Parkes OBE MD DPM FRCPsych Dora Black MB ChB FRCPsych DPM

ADVISORY EDITORS

Ofra Ayalon PhD Israel Tom Lundin MD PhD Sweden

Prof Robert Pynoos MD MPh, USA

Prof Beverley Raphael AM DPM(ANZCP) FRANZCP FRCPsych, Australia

Prof Lars Weisaeth MD PhD FNPA, Norway

Prof Robert Weiss PhD, USA

MANAGING EDITOR

Patricia Scowen MA SRN HV IN-HOUSE EDITOR

Rosie Dalzell BSc Cert Ed PUBLISHED BY

Cruse Bereavement Care 126 Sheen Road Richmond, Surrey TW9 1UR, UK

Telephone 0181-940 4818

Fax 0181-940 7638

Bereavement Care is sold subject to the condition it shall not be lent, resold, reproduced, hired out or otherwise circulated without the publisher's consent.

The editors welcome advertisements and inserts, but do not necessarily associate themselves with the views of advertisers or books advertised.

#### SUBSCRIPTION RATE 1997

Individual Subscribers (ie paid for by an individual subscriber for personal use)

subscriber for personal use UK: £12.00

Republic of Ireland: IR £13.00 USA: US \$33.00

Canada: CAN \$44.00

Australia: AUST \$42

All other countries: Stg £13.00

Libraries and Organisations (eg hospitals, departments, colleges, hospices, companies; paid for by organisation and/or for multiple readership)

UK: £22.00 Republic of Ireland: IR £23.00 USA: US \$50.00

Canada: CAN \$66.00

Australia: AUST \$63.00

All other countries: Stg £23.00

Bereavement Care is published three times a year in Spring, Summer and Winter.

All prices are inclusive of airmail postage. Payment may be made by cheque, money order or credit card (Mastercard, Eurocard, Access, Visa).

Most back numbers available at £3.00 plus 35p postage (UK).

#### BEST OF BEREAVEMENT CARE

Packs of selected articles from past issues grouped in themes are available from the publishers at prices from £2.85 to £6.50.

COPYRIGHT © Cruse Bereavement Care 1997 ISSN 0268-2621

Printed by Doppler Press, Brentwood, Essex CM14 4RX

